




# Twisted Top Tutorial

incl. YouTube Tutorial
(in German with English subtitles)





i. i i eparacien	1.	Preparation
------------------	----	-------------

1.1. Material, Fabric Suggestion, Pattern	Overview <u>1</u>
1.2. Size Charts in cm and inch	<u>2</u>
1.3. Printing And Assembling The Patter	<u>3</u>
1.4. Tips For Beginners	4
2. Tutorial	<u>5</u>
3. Ideas & Links	<u>8</u>

# Video Tutorial on YouTube (in German with English subtitles)



# Material

- » Fabric\* of your choice
- » 4 cm wide <u>elastic</u>\* (length = underbust measurements + 2 cm seam allowance)
- » Universal sewing needles
- » Thread matching your fabric
- » Fabric Scissors, fabric pins, iron

#### Light non-stretch materials, such as:

- <u>Linen</u>\* / Leinen-Mix
- <u>Viscose</u>\*
- light <a href="mailto:cotton">cotton</a>\* (<a href="Popeline">Popeline</a>\*)

Remember to pre-wash your fabrics :-)

### Fabric Consumption, CM:

Width	EU: 34 UK: 6 US: 4	EU: 36 UK: 8 US: 6	EU: 38 UK: 10 US: 8	EU: 40 UK: 12 US: 10	EU: 42 UK: 14 US: 12	EU: 44 UK: 16 US: 14	EU: 46 UK: 18 US: 16	EU: 48 UK: 20 US: 18	EU: 50 UK: 22 US: 20
115	100	100	100	130	130	130	150	150	150
140	100	100	100	100	100	100	100	100	100
Fa	ıbric Con	sumptior	n, Yard						
44"	1.1	1.1	1.4	1.4	1.4	1.4	1.7	1.7	1.7
60"	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1

<sup>\*\*</sup>This page contains affiliate links. If you choose to purchase after clicking a link, I may receive a commission at no extra cost to you\*



## Size Charts

In order for the finished garment to fit you perfectly, it is necessary to take your exact measurements! Make sure that you take the measurements horizontally and do not hold the tape measure too tight or too loose. Ideally, it should still be possible to move it back and forth.

**Note:** The grading of this top is based on the bust measurement. A-Cups might have to choose a smaller size than usual while C+ Cups might have to scale up. Check the finished garment measurements to be sure you chose the right size.

#### Finished Garment Measurements

This is the size the pants will be once you've sewn it together:

U	U: 34 K: 6 S: 4	EU: 36 UK: 8 US: 6	EU: 38 UK: 10 US: 8	EU: 40 UK: 12 US: 10	EU: 42 UK: 14 US: 12	EU: 44 UK: 16 US: 14	EU: 46 UK: 18 US: 16	EU: 48 UK: 20 US: 18	EU: 50 UK: 22 US: 20
Bust, cm	84	88	92	96	100	104	108	114	120
Bust, inch	33	34.7	36.2	37.8	39.4	41	42.5	44.9	47.2
Length, cm (shoulder sear	m) 37.7	38.2	38.7	39.2	39.7	40.2	40.7	41.2	41.7
Length, inch (shoulder sear	n) 14.8	15	15.2	15.4	15.6	15.8	16	16.2	16.4

### Pattern Overview

Remember to copy all notches and markings from the pattern onto your fabric.



Straps 1 x on fold

Underbust Band 1 x on fold

#### **Body Measurements**

Measure your bust to find your pattern size here:

Bust, cm	80	84	88	92	96	100	104	110	116
Bust, inch	31.5	33	34.7	36.2	37.8	39.4	41	43.3	45.7

# Preparation


#### \*non-commercial use only\*

### Printing

» **A4 / US Letter:** first print the page with the test square (5x5cm) and check if your printer settings are correct.

Make sure to always open the pattern in Adobe Reader, as problems may occur when printing from the browser window. Always make sure to print in real size and turn off the automatic page adjustment.


» A0: in the download you'll also find an A0 pattern file.
This is the pattern in real size to print out in a copy shop / print shop.



In the PDF file you have the option to show and hide layers / sizes. Hide any sizes you don't want to print.

#### Assemble the PDF Pattern

Tape the pattern pages together as indicated in the pattern overview. The arrows mark the places where the pages should meet.



### Legal Notice

Please note that my instructions and patterns are only intended for private use, i.e. for the production of individual pieces. The sale as well as the passing on (exchange, copy) is strictly prohibited!

All rights to this pattern are reserved to **Make it Yours - the Label**. If you have any questions please contact me at:

hello@makeityoursthelabel.com

### Tutorial

<u>Video Tutorial on YouTube</u> (in German with English subtitles)




Right side of your main fabric

Left / "wrong" side of your main fabric

Right side lining

Left / "wrong" side lining



**1.** On the "FRONT / BACK" you'll find six notches. Three notches mark one pleat, which is a total of two pleats. Fold the pleats according to the pattern and secure them with a couple of stitches (0.5 seam allowance).

Make sure all pleats (front, back and lining) are facing in the same direction.

**2.** Place front and front lining right sides together and close the shoulder seam. Use a zig-zag stitch or your overlock/serger to close the raw edge.

**3.** Open the top flat. Overlock / serge (or zig-zag) the edges as marked in the illustration. Make sure you can still see the notches. If you can't see the notches, mark them again before continuing with the next step.

**Tip:** when I use my overlock for hemming I only sew with three threads instead of four threads. The seam can be sewn with either the left (wide hem) or right (narrow hem) needle.

