

*Clématisse*  
pattern



Version A



Version B

*Combi Mina*

## Which size ? :

<u>Size</u>	<u>34</u>	<u>36</u>	<u>38</u>	<u>40</u>	<u>42</u>	<u>44</u>	<u>46</u>	<u>48</u>
Chest measure in cm	82	86	90	94	98	102	106	110
Waist measure in cm (at hollow of the waist)	62	66	70	74	78	82	86	90
Hip measure in cm (At the biggest buttocks level)	88	92	96	100	104	108	112	116

The pattern is drafted for 165cm height

## Seams value :

Seams values are included in pattern

Always 1cm, except 1.5cm at hem of sleeves and 3cm at legs bottom

On pattern, you will find 2 lines :

- The exterior line is the cutting line
- The inside line ( dotted line) is the sewing line, like that you can see the seam value

## Fabrics :

This model was developed to be made in a woven fabric, not extensible  
It is advisable a soft and fluid :  
viscose, crepe, polyester or silk  
and in heavier fabrics as cotton,  
velvet, denim...

<u>Fabric quantity</u>	<u>Fabric width</u> <u>140cm</u>
Version A (34-40)	2.30 meters
Version A (42-48)	2.70 meters
Version B (34-40)	2.50 meters
Version B (42-48)	2.70 meters

## My little tips and tricks:


- Wash the fabric before beginning
- Follow well the straight line during the pattern placement on the fabric
- With a pen for fabric, draw around the pattern then remove the pattern before cutting
- During the workmanship, follow well the seams value.

Légende :




BACK WORKMANSHIP :


- Sew darts of back legs, then iron it to side leg direction
- Sew back crotches together, front face to front face, then overlock this seam
- Iron the back crotch.



- Put pocket bags at 6cm from edge, following notches
- Sew along pocket bag at 1cm, front face to front face.



- Sew the back waist, front face to front face, then overlock this seam



- Iron this seam to the top direction