


Nähanleitung • Schnittmuster



## Shirt Fabiella


Art.-Nr: 1-E-3

Size: 34-46

Level of Difficulty:



## Nähanleitung • Schnittmuster




### Sectional drawing

Modell 1



Modell 2



[www.toscaminni.de](http://www.toscaminni.de)

Designerin: Silvia Maria P. Vogt

## Shirt Fabiella

### Material


Bi-elastischer Jersey

### Fabric consumption - fabric width 1.40m


Jersey	Modell	1	2
Size 34 - 36		1,20 m	1,20 m
Size 38 - 40		1,20 m	1,20 m
Size 42 - 44		1,30 m	1,30 m
Size 46		1,40 m	1,40 m

### Note – Variants:

You can sew the dress with sleeves or sleeveless. The fabric consumption is similar.



- 1 Bust measurement:  
The bust is measured horizontally around the body. The tape measure is placed around the highest part of the chest and over the shoulder blades/back.
- 2 Waist measurement:  
The tape measure is placed loosely around the waist.
- 3 Hip measurement  
The hip is measured around the strongest point
- 5 Arm length:  
The arm length is measured with one arm slightly bent, over the elbow to the wrist
- 6 Shoulder width:  
From the base of the neck to the ball of the arm



- Back length:  
Measure from base of neck to waist
- Side length:  
Measure the length from the waist to the floor




*Measurement table*


	Size	34	36	38	40	42	44	46	48	50	52
1	Upper bust	80	84	88	92	96	100	104	110	116	122
3	Hip size	86	90	94	98	102	106	110	116	122	128
4	Waist size	62	66	70	74	78	82	86	92	98	104
	Shoulder width	12	12	12	13	13	13	13	14	14	14
5	Sleeve length	59	59	60	60	61	61	61	61	62	62



*Schnittskizze Modell 1:*



*Technische Zeichnung:*



*Cutting plan:*



Outer fabric	Cutted parts	
Front part	1 x Fabric break	
Back part	2 x	
Strips for serging	3 x 4 cm / 1,40 m	

*Note:*


See pattern for seam allowance



Outer fabrics are blue



Linings pink



The back is white

*Work that is always the same:*

Important: Before cutting the fabric, always measure exactly.

- Decisive are the
- Bust size
- Waist size
- Hip size



*Here we go:*

Cut out the paper pattern, place on fabric and cut to size. Then transfer the markings/register marks to the pattern pieces.


The black dots on the pattern are the marks that you should transfer to the fabric. Either mark the yoke points with chalk or cut small triangles in the hem allowance.

For fabrics that are the same on the left and right sides or are one colour, mark the left side with a chalk line. Overlock or zigzag all pieces unless the fabric does not fray, e.g. whale or jersey.


*Tipp:*

If the fabric is a little tight, you can also place the back part a little differently, it is not absolutely necessary to keep the grain, as the fabrics are bielastic anyway.

*Cutting plan:*



*Cutted parts:*






**Take care!**


For this shirt you should follow the chronological steps, otherwise you may not be able to finish some parts.







Hem on the back



Front side/ with the cover is sewn  
on the front side

- The seam allowance on the back is 2 cm (see dotted line). The remaining seam allowances are 1 cm each.
- Iron these 2 cm to the wrong side.
- Sew.

