

# Ruffle Top

August 2020



## Copyright

© Valspierssews

© Val Spiers

This pattern is for personal use only.

The copy you purchase is copy righted as my intellectual property and must not be shared online for free, printed for distribution in quantity for classes or groups or sold in any form.

You may create items for sale on a small scale.

When selling garments made from my patterns please include:

Created using a pattern by Valspierssews

If you just made a few changes please include:

Inspired by a pattern by Valspierssews

## Read all the instructions first


### Printing at 100%

When I make my pattern pieces I try to arrange them so they will print on A4 or US Letter. Any problems just let me know.

Whatever program you use to print you need to choose the 'Custom Scale' button and set to 100%. This makes the test square exactly 1".


If it is only 7/8" then your program has used a default scale of 96%.

The easiest program to use is Adobe Reader.



# 18" Ruffle Top

August 2020  
Sleeveless top with a ruffle front overlay




Ruffle Top for 18" Dolls

Val Spiers Sews Doll Designs

Ruffle top - page 1 of 5

Sleeveless top with ruffle front overlay and bias bound neck and armholes




1. Requirements


50cm (20") of light weight woven fabric

3 patches of hook and loop tape


I have numbered the pattern pieces as 1,2,3 for the double layer and 4,5,6 for the single layer to make it a bit easier to get them sorted.



Single layer for overlay and neck binding



Fold twice to cut a 24" length for the bottom ruffle



Mark the hem edge of the overlay ruffle with a pin when you remove the pattern.

This top requires quite a lot of fabric to fit in the bias bands and the ruffles. I have estimated about 50cm (20") but you may be able to use different fabric for the bodice, the ruffles and the bands so you can use up smaller pieces.

All seams are 6mm (1/4") unless otherwise stated.

2. Overlay Ruffle

- a) Sew a row of stitching 3mm (1/8") from the hem edge of the ruffle.
- b) Press up the first fold of the narrow hem using the line of stitching as a guide. Press up a second narrow fold.
- c) Stitch the hem. There should be no need to pin it first.