



# Marisol

## CONTENTS



**03** Introduction

**05** Size & fabric

**07** Printing

**09** Variations

**11** Cutting

**12** Preparation

**14** INSTRUCTIONS

### WHAT YOU WILL LEARN

1. sewing darts
2. sewing facing
3. sewing straps
4. sewing in-seam pockets

### VIDEO TUTORIAL



Scan or click the QR code and you will be redirected to MARISOL's video tutorial (video is only available in German)

copyright 2022 by Anja Siewert.

All images and texts published in these instructions are protected by copyright and may only be used commercially with the express permission of Anja Siewert. Copying and passing on the instructions and the pattern is not permitted. Commercial use of the instructions and the pattern is prohibited. The explanations and texts in this manual have been compiled and checked to the best of our knowledge. However, no guarantee for success can be given. No liability can be accepted for any errors in the instructions and the pattern.

## Printing pattern

You can print the DIN A4 / US Letter version on a home printer and stick the pieces together. If you don't want to stick the sheets together, get the DIN A0 sheets printed by a copyshop or pattern printing service.

Open the pattern file in Adobe Reader (you can download Adobe Reader online for free). In the print settings, select "actual size" (or set scaling to 100) to print the pattern at full scale.

Print page 1 of the pattern first and measure the test square to check it is exactly 50mm x 50mm. If it is a few mm out, adjust the scaling on your printer settings before printing the rest of the pattern.

## Different layers

All files are divided into layers. You have the possibility to display only your desired sizes. This makes the lines less confusing and if you are between two sizes, you can print them all at once.

To view and select the layers you need the free Acrobat Reader. If the layers are not displayed, please check if your Acrobat Reader is up to date.

The screenshot shows the Adobe Acrobat Reader interface. The Layers panel on the left lists various layers: Größe 32, Größe 34, Größe 36, Größe 38, Größe 40, Größe 42, Größe 46, Größe 48, Größe 50, and Beschriftung. Annotations with arrows point to the eye icons next to these layers. A text box at the top left says "Here you can find the layers in Acrobat Reader". A text box in the middle says "By clicking on the 'eye' in the box you can show and hide the different sizes". A text box at the bottom left says "Please keep the label layer always shown". On the right side of the document, there is text: "drucken. überprüfen!" and "Die Schnittteile sind inkl. Nahtzugabe. Die äußere Linie ist die Zuschneidelinie,".

Here you can find the layers in Acrobat Reader

By clicking on the "eye" in the box you can show and hide the different sizes

Please keep the label layer always shown

drucken. überprüfen!

Die Schnittteile sind inkl. Nahtzugabe. Die äußere Linie ist die Zuschneidelinie,

## Cutting fabric

As already mentioned, all pattern pieces include the seam allowance. It is normally 1cm (0.39"). At the side seams 1.5cm (0.59") and at the hem 1cm (0.39").

**You will need to cut the following pattern pieces, depending on the version:**

piece	amount	interfaci	done
front piece	2x		<input type="radio"/>
back piece	1x on fold		<input type="radio"/>
front facing	2x	yes	<input type="radio"/>
back facing	1x on fold	yes	<input type="radio"/>
straps	2x - 4x (knotted variation)		<input type="radio"/>
front skirt piece	2x		<input type="radio"/>
back skirt piece	2x		<input type="radio"/>
pockets	4x		<input type="radio"/>
tie belt	1x		<input type="radio"/>

## Tie belt


There is no separate pattern piece for the tie belt as it is just a rectangle. My tie belt has a finished width of 3cm (1.18"). This means that my rectangle has a width of 8cm (3.15") (double the finished width plus 2cm (0.78") seam allowance).

The length depends on your personal preference. It's best to tie a string or something similar around your waist and tie it into a bow. Then use your string to determine your personal length for your tie belt. My tie belt is usually 140-150cm (55" - 59") long. I wear a size 4 (EU 38).



## Cutting plan

To save fabric, you should cut your MARISOL with the fabric layer open. This means that the full width of your fabric is in front of you when cutting. You can place the skirt pieces slightly offset (depending on the size) and place your small pieces in the gaps.



**You have transferred all the notches and markings?  
Ironed on all the inserts? Then we can start now**



**1**

### sewing darts

In the first step we need our two front pieces. To make your darts clean and even, you should at least mark the dart points with fabric chalk on your wrong side of the fabric. The darts are already cut open here. This will make the front darts even neater and make it easier to avoid "bags" at the tips.



**2**

### sewing darts

Now place your front pieces right sides together. Pin your darts together starting from the bottom edge. Your pin heads should be facing the dart point. When sewing your darts, start at the bottom edge and do not back-tack your seam at the dart point. Leave the threads a little longer there and then knot them by hand. Serge your darts and press them towards the centre front.



**3**

### sewing darts

Now grab your back piece. There you should also transfer your darts to your wrong side of the fabric with a little chalk.



**4**

### sewing darts

Again, place your darts right sides together. Again, start at the bottom edge and do not back-tack your seam at the end, in the dart point. Knot the threads again by hand. This will prevent unsightly "pouches" from forming in your darts later. Press your darts towards the centre back.