

Viki

S E W S

TRENCH COAT PEYTON



SIZES
34-52

DIFFICULTY



ADVANCED



PROMO CODE
all_patterns20

20% off
your next purchase on
vikisews.com

FROM THE FOUNDER OF THE #VIKISEWS BRAND



Back in 2016, when I was working on my first set of sewing instructions, I was trying to write them in such a way that even a complete beginner could easily understand and use them to create their very first garment. These instructions laid the foundation for the Vikisews brand, its vision and its mission. I wanted to create modern patterns with the utmost detailed and clear instructions.

Now, with each new collection we are constantly improving our instructions, amending them and adding more relevant details. By the time the final product reaches you, our drafters, correctors, and editors would have spent weeks perfecting every word and every photograph. If you compile a few of our instructions together, you will get a sewing manual that will assist you in sewing all kinds of garments at any difficulty level.

And I would be very happy if these instructions helped you to turn your hobby into a lifelong passion... Enjoy the process! Create your ultimate dream wardrobe! Wear your garments proudly for years to come!

If you have any questions, please contact us at info@vikisews.com — we are always there to help.



PEYTON PATTERN DESCRIPTION

Peyton is a loose-fitting, straight-cut, lined trench coat. The sample trench coat is made of two types of fabric: faux leather and cotton gabardine, but the garment can also be made of one fabric. The bust darts are transferred to the neckline. The front of the coat features welt pockets and a lined storm flap on the left side. The back has a lined yoke shaped with neck darts. There is a vent in the center back seam. The coat has an extended shoulder line and long, loose-fitting, one-piece, shirt sleeves. At the bottom of the sleeve, there is a detachable button tab threaded through loops. The epaulets at the shoulder seams are folded in half, threaded through loops, and secured with buttons. The collar has a separate collar stand that continues into a strap closed with a button. There is a detachable button tab on the collar. Two half belts are sewn into the side seams and joined with buttons at the back. The trench coat closes with buttons and buttonholes at the center front. Peyton is above-ankle length.



IMPORTANT!

The contents of this pattern are copyright protected and belong exclusively to Vikisews. You may use Vikisews patterns for personal use. It is prohibited to share Vikisews patterns and instructions with third parties, as well as to publish patterns and instructions online for public access. According to part 1 of clause 1252 and clause 1301 of the Civil Code of the Russian Federation, failure to comply with the mentioned rules constitutes a breach of the legislation in force in the field of copyright and entails liability of the violator. Illegal use or distribution will be prosecuted in accordance with legislation.

You may use Vikisews patterns for commercial use, to sew custom-made garments and/or create fashion collections, on the condition that the patterns are solely used in a manufacturing setting and are not further shared with individuals.

TOTAL EASE ALLOWANCE

	Bust ease	Waistline ease	Hipline ease	Upper arm ease
cm	43.1	63.6–63.7	39	19.5–20.6
inches	17	25–25 1/8	15 3/8	7 5/8–8 1/8

GARMENT LENGTH, SLEEVE LENGTH

Height, cm	Back length, cm	Sleeve length including shoulder width, cm
1 (154–160)	123.8–125.6	74.9–76.3
2 (162–168)	127.8–129.6	76.9–78.3
3 (170–176)	131.8–133.6	79–80.4
4 (178–184)	135.8–137.6	81–82.4

Height, ft	Back length, in	Sleeve length including shoulder width, in
1 (5'1"–5'3")	48 3/4–49 1/2	29 1/2–30
2 (5'4"–5'6")	50 3/8–51	30 1/4–30 7/8
3 (5'7"–5'9")	51 7/8–52 5/8	31 1/8–31 5/8
4 (5'10"–6'1")	53 1/2–54 1/8	31 7/8–32 1/2

SUGGESTED FABRIC

To sew this trench coat, choose suiting fabrics with the following properties:

- medium-weight, pliable, structured, non-stretch or low-stretch
- the fiber content can include natural fibers (cotton), artificial fibers (viscose), blends (cotton + polyester, etc.), and synthetics (polyester, polyester + polyurethane)
- the following fabrics are recommended: cotton gabardine, corduroy, faux leather, faux suede.

Attention! We do not recommend soft, lightweight (raincoat) fabrics.

For the lining, choose lining fabrics made of artificial fibers (viscose), blends (viscose + elastane, viscose + polyester), or synthetics (polyester, polyester + elastane).

The trench coat in the photos is made of faux leather and gabardine. The fabric is medium-weight, pliable, structured, low-stretch.

The fiber content is cotton + polyester (gabardine) and polyester + polyurethane (faux leather).

The lining is 100% viscose.

4. Interfacing, 140 cm wide, in meters:

Height, cm	Sizes	Sizes
	34-42	44-52
1 (154-160)	1.4	1.5
2 (162-168)	1.45	1.55
3 (170-176)	1.5	1.55
4 (178-184)	1.5	1.6

Interfacing, 55" wide, in yards:

Height, ft	Sizes	Sizes
	34-42	44-52
1 (5'1"-5'3")	1 1/2	1 5/8
2 (5'4"-5'6")	1 5/8	1 3/4
3 (5'7"-5'9")	1 5/8	1 3/4
4 (5'10"-6'1")	1 5/8	1 3/4

IMPORTANT! When purchasing fabric, please account for shrinkage and buy 5% more than required.

5. Straight-grain fusible stay tape, 1 cm (3/8") wide – 1 m (1 1/8 yd).
6. Stitched bias-cut fusible stay tape with stitch reinforcement, 1.5 cm (5/8") wide – 6.5 m (7 1/8 yd).
7. Paper-backed fusible web tape, 1 cm (3/8") wide – 2 m (2 1/8 yd).
8. Paper-backed fusible web tape, 3 cm (1 1/8") wide – 1 m (1 1/8 yd).
9. Sixteen buttons, 2.2 cm (7/8") in diameter.
10. Five backing buttons, 1 cm (3/8") in diameter.
11. Matching thread – 1 spool. If the garment is made of two different fabrics – 2 spools.
12. Matching topstitching thread (for example, Madeira No. 35) – 2 spools. If the garment is made of two different fabrics – 4 spools.

Evaluate the side seams from the front or back. The garment sides should not sag or ride up.

Check the size and placement of the darts. The tip of the bust dart should point towards the bust apex but not go over it.

Check the placement and size of the pockets and small decorative elements. Cut sleeve tabs, epaulets, belts, and welts out of calico and pin them onto the garment.

Verify the garment length.

Check the shape of the collar and lapels. The collar should sit flush against the neck at the back.

Check for fit issues associated with individual features of the body (for example, an asymmetrical figure with shoulders at different levels, etc.).

The button placement shouldn't cause any pulling, folds or creases.

Verify the garment volume, there should be enough ease for a comfortable fit.

After the fitting, make the necessary adjustments to both sides of the garment and do another fitting if necessary.



Pin the darts on the wrong side of the front and back pieces.



Machine-stitch the darts, following the marked lines and backstitching at the upper edge only (at the base of the dart). At the tip of the dart, tie thread tails into knots and trim them down to 4–5 cm (1 1/2–2"). The material is too thick to hide the thread tails between fabric layers.

Press the seam flat.