

Level: Intermediate









The panty Odessa is a comfortable sewing pattern for lingerie that perfectly hugs to the body. For an optimal fit, the waistband is slightly rounded downwards and closed with a fold over elastic. The first style of the pattern is completely sewn of elastic lace.



### Style 2:

The second style of the lace panty is the most challenging variant and is sewn of a combination of Jersey and lace. The upper insert made of Jersey forms a decorative "V" in the middle of the front and rear. For the insert you can use patterned or plain colored cotton jersey, viscose jersey, or bamboo jersey.



### Style 3:

The third style of panty Odessa is also sewn with an insert of Jersey. The insert is cut on the fabric fold in the center front, eliminating the center front seam. Here you can also play with different patterns and colors, let your imagination run wild!

## Measurement table

Size EU/US	32/1	34/2	36/4	38/6	40/8	42/10	44/12	46/14	
Hip	92 cm	95 cm	98 cm	101 cm	104 cm	109 cm	114 cm	119 cm	
The pattern Odessa is selected according to the hip measurement.									

# Materials and fabric requirement







The panty Odessa is sewn of elastic lace. Make sure your lace is sufficiently elastic. If you are using embroidery laces, I recommend you to choose one size bigger than usual because often this kind of lace is more stiff and less elastic.

For the inserts, cotton Jersey or bamboo Jersey is used. For the gussetl recommend you to use an organic cotton Jersey for hygienic reasons.

- ✓ elastic lace ribbon (the minimum width required can be checked in the table below)
- ✓ a piece of organic cotton Jersey for the GUSSET (20cm x 20cm)
- ✓ cotton Jersey or bamboo Jersey for the inserts (style 2 & 3)

You will also need the following:

- ✓ 1 m fold over elastic 1,6cm 2 cm wide
- ✓ stretch oder jersey needle

All seam allowances
(0,8 cm) are included in the pattern

Fabric requirement												
EU/US	32/1	34/2	36/4	38/6	40/8	42/10	44/12	46/14				
All styles												
Lace ribbon length	1,50 m	1,50 m	1,50 m	1,50 m	1,60 m	1,60 m	1,60 m	1,60 m				
Lace ribbon width	min. 17 cm	min. 17 cm	min. 18 cm	min. 18 cm	min. 19 cm	min. 19 cm	min. 20 cm	min. 20 cm				
Style 2												
jersey fabric	0,4 m											
Style 3												
Jersey fabric	30 x 50 cm											



#### All styles







In the following, the construction steps are shown using style 3 of the pattern. However, they refer to all styles contained in the pattern. First, place the two gussets on top of each other, right sides together. Pin the sides together.







Sew the side seams with a 0.8 cm seam allowance. Use an elastic stitch on your sewing machine (fake overlock stitch, triple straight stitch, zig zag stitch) or your serger. Turn and iron the gusset flat. Then, if necessary, place the front centers of the panty on top of each other, right sides together.







Pin the center front and close the seam with an elastic stitch. Then unfold the seam and iron it flat.